

# **HFO1234 Material**



#### MANIFOLDS: HFO1234 approved

#### MV2HFO set

- 2 way Valve deep vacuum manifold way
- gauges 80MM HFO1234
- carton box

#### MV2HFOS5QC set

- 2 way Valve deep vacuum manifold
- gauges 80MM CL1.0 HFO1234
- HS5 Standard hoses 150CM
- 1x QCH123414 1x QCL123414
- AD84L adapter
- case

#### **MTHFO134**

- Workman Triple seal piston manifold
- Gauges HFO1234 + R134A
- Hoses 1.8m
- Quick couplers (QC123414Set + QC90SET)
- AD84L + AD84 HFO tank Adapters







€ 85,26 -34% =56,50€

€ 159,86



€ 228,21

#### http://www.cpsproducts.com/product/hfo-manifold-2-valve-MTHFO134/

#### **MGHFO134**

- Ball Valve manifold
- gauges HFO1234 + R134A
- Hoses 1.8m
- Quick couples (QC123414Set + QC90SET)
- AD84L + AD84 HFO tank Adapters



http://www.cpsproducts.com/product/manifold-hfo-ball-2-valve-MGHFO134/

# € 199,64



#### Combine your own HFO manifold (set)

#### **GAUGES: HFO-1234YF approved**

RGHFOH 80MM CL1.0 HFO1234 HP RGHFOL 80MM CL1.0 HFO1234 LP

RGHF2H 68mm CL1.6 HFO1234 + R134a HP

RGHF2L 68mm CL1.6 HFO1234 + R134a HL

RGHF3H 80mm Cl 1.6 HFO1234 + R134a HP RGHF3L 80mm Cl 1.6 HFO1234 + R134a LP

€ 16,10 € 16,10

€ 22,95 <mark>-35%</mark> =14,45€

€ 25,60

€ 25,60

#### **MANIFOLD BODY: HFO1234 approved**

MG-A1 BALL VALVE MANIFOLD BODY (with ¼" SAE connection).





MT2-A1 TRIPLE SEAL MANIFOLD BODY (with 1/4"SAE connection).

€ 50,24



MV1 – MV2 – MV4 – MV5 Vortech® Deep vacuum manifolds HFO1234 approved



#### **QUICK COUPLERS**

QCL123414 Quick coupler LP for HFO1234 1/4" SAE MALE CONNECT QCH123414 Quick coupler HP for HFO1234 1/4" SAE MALE CONNECT QC123414SET Quick coupler LP+HP for HFO1234 1/4" SAE MALE CONNECT

€ 37,95 € 3,95 87% =45,61€



€ 72,40-37%

# Hoses All REFCO hoses are approved for HFO1234



CCL-36 90cm 17,87€ CCL-48 120cm 19,52€ CCL-60 150cm 22,00€ CCL-72 180cm 23,66€

**HFO Tank Adapters** 

**AD84L** adaptor 1/4" SAE male X 1/2"Lefthand ACME Female (remark: 1/4"SAE = 7/16-20UNF)



€ 8,80

**AD48L** adaptor 1/4"SAE Female X 1/2" Lefthand ACME Male (remark: 1/4"SAE = 7/16-20UNF)



€ 8,80

## **LEAK DETECTORS**

**HVAC** 

LS2 Full Automatic leak detector, featuring E\_MOS ™ technology. (Enhanced Metal Oxide SSensor technology) € 400,93 http://www.cpsproducts.com/product/electronic-leak-detection-ls2/ - 39% = 244.00

The E\_MOS ™ sensor technology incorporates a proprietary pulse modulation design to increase both battery and sensor life. A Fully automatic electronic refrigerant leak detector designed for the **HFO** refrigerants, R32, NH3 ammoniac, H2N2 tracer or former gas, as well detect the regularly HFC, HCFC, CFC gases & blends.





LS2

**REF LOCATOR** Full Automatic leak detector, sensitivity 0.0125 oz./yr HFO R-1234yf cer g CFC's, HCFC's, HFO's, H2N2 former or tracer gas as well as all halogenated vapors and gases.

€ 315,80



**REFCO & DIGIMON** your best choise for HFO R-1234yf

263,00

#### **UV** Dye

Our universal UV dye is suitable for HFO1234 refrigerants.

UVUD list price € 63,19



### VACUUM POMPS: All our vacuum pumps are approved to use for HFO1234 refrigerants







#### RECOVERY MACHIENS: All our oil-free recovery machines are approved to use for HFO1234 refrigerants.

**HVAC** 







CR700EC(H)



TR21E

http://www.cpsproducts.com/product/recovery-equipment-CR500EC/http://www.cpsproducts.com/product/recovery-equipment-CR600EC/http://www.cpsproducts.com/product/recovery-equipment-CR700EC/http://www.cpsproducts.com/product/cps-recovery-machine-TR21E/

#### **TRA21E** Recovery machine with filter and oil separator List price € 1.568,18 (Automotive)



- Advanced twin cylinder oil-less compressor
- Best performance, lightest & smallest unit available anywhere in his class

AR500EC AR500ECH AUTOMTV.RECOV.& RECYCL.UNIT+CABLE List price AUTOM.RECOV&RECYC.UNIT+CBL+HOSES List price

€ 1.308,00 € 1.399,00



http://www.cpsproducts.com/product/automotive-equipment-AR500S/ (Automotive)

#### RRR Recovery Recycle Recharge machine HFO1234 approved

#### FA1234E CONVERT-ABLE MULTI REFRIGERANT Recover / Recycle / Recharge

€ 5.481,00

The FA1234 is a patented multi refrigerant Convert-able R / R / R machine that can be <u>converted</u> for use with any of the following refrigerants in 5 minutes or less: R-134a, HFO-1234yf, R-22 and R-407C. This R / R / R convert-able unit is currently the <u>only machine</u> in the market without fear of cross contamination when converted <u>back and forth</u>.

- ball valves instead of solenoid valves (increases flow rate / avoids valve leakage caused by dirt contamination)
- converting from one refrigerant to another in 5 minutes or less (back and forth)
- for use with multiple refrigerants without worry of cross contamination
- can be used for cars, buses, trucks, heavy-duty... (minimal conversion necessary)
- interchangeable external cylinder connection
- fastest oil-free twin cylinder compressor in the market (maintenance free)
- high performance 6 CFM vacuum pump, up to 50% faster vacuum.
- easy and safe to transport with minimal adjustment required
- solid steel construction

http://www.cpsproducts.com/product/recovery-recharge-recycling-FA1234E/

