



SB

260W 860W




020 025 025R 033 033R 050 075



ΤΥΠΟΣ TYPE	ΙΣΧΥΣ [W] POWER [W]		ΚΥΨΕΛΗ CELL		ΑΝΕΜΙΣΤΗΡΕΣ FAN							ΑΝΤ. -W-
	$\Delta T=8K$ $T_e=-8^\circ C$	$\Delta T=7K$ $T_e=-25^\circ C$	m ²	dm ³	n	r/min	m ³ /h	Watt	A	dB	Kg	Watt
SB 1025	310	260	1.56	0.56	1x250	1300	200	10/53	0.35	54	4.65	880
SB 1025R	330	280	1.75	0.56	1x250	1300	205	10/53	0.35	56	4.8	880
SB 1033	490	410	3.11	1.10	1x250	1300	245	10/53	0.35	56	5.6	880
SB 1033R	490	410	3.11	1.10	1x250	1300	245	10/53	0.35	56	6.0	880
SB 1050	610	510	3.86	1.32	1x300	1300	300	16/65	0.45	56	6.9	1100
SB 1075	770	640	4.82	1.65	1x300	1300	370	25/90	0.65	58	7.8	1650

ΤΥΠΟΣ TYPE	ΔΙΑΣΤΑΣΕΙΣ DIMENSIONS		
	A	B	C
SB 1025	370	620	130
SB 1025R	370	540	170
SB 1033	370	620	170
SB 1033R	370	600	210
SB 1050	440	650	210
SB 1075	440	700	210

SB 1 κατάψυξη με αντιστάσεις freezer with electric defrost



ΤΥΠΟΣ TYPE	ΙΣΧΥΣ [W] POWER [W]		ΚΥΨΕΛΗ CELL		ΑΝΕΜΙΣΤΗΡΕΣ FAN							ΑΝΤ. -W-
	$\Delta T=8K$ $T_e=-8^\circ C$	$\Delta T=7K$ $T_e=-25^\circ C$	m ²	dm ³	n	r/min	m ³ /h	Watt	A	dB	Kg	Watt
SB 2025	355	290	2.53	0.69	1x250	1300	175	10/53	0.35	56	4.1	440
SB 2025R	350	285	2.28	0.56	1x250	1300	180	10/53	0.35	56	4.9	440
SB 2033	420	340	3.04	0.83	1x250	1300	205	10/53	0.35	56	5.5	440
SB 2033R	510	410	4.06	1.10	1x300	1300	210	10/53	0.35	56	6.1	440
SB 2050	760	630	5.06	1.32	1x300	1300	380	16/65	0.45	58	8.0	500
SB 2075	860	695	6.32	1.65	1x300	1300	415	25/90	0.65	62	9.0	1000

ΤΥΠΟΣ TYPE	ΔΙΑΣΤΑΣΕΙΣ DIMENSIONS		
	A	B	C
SB 2025	370	620	130
SB 2025R	370	540	170
SB 2033	370	620	170
SB 2033R	370	600	210
SB 2050	440	650	210
SB 2075	440	700	210

SB 2 συντήρηση με αντιστάσεις cooler with electric defrost



ΤΥΠΟΣ TYPE	ΙΣΧΥΣ [W] POWER [W]		ΚΥΨΕΛΗ CELL		ΑΝΕΜΙΣΤΗΡΕΣ FAN						
	$\Delta T=8K$ $T_e=-8^{\circ}C$	$\Delta T=7K$ $T_e=-25^{\circ}C$	m ²	dm ³	n	r/min	m ³ /h	Watt	A	dB	Kg
SB 3020	260	210	1.93	0.54	1x200	1300	128.2	5/42	0.26	54	4.0
SB 3025	355	290	2.53	0.69	1x250	1300	174.9	10/53	0.35	56	4.0
SB 3025R	350	285	2.28	0.56	1x250	1300	178.0	10/53	0.35	56	4.4
SB 3033	420	340	3.04	0.83	1x250	1300	205.2	10/53	0.35	56	5.35
SB 3033R	510	410	4.06	1.10	1x250	1300	210.0	10/53	0.35	56	5.6
SB 3050	760	630	5.06	1.32	1x300	1300	382.7	16/65	0.45	58	7.8
SB 3075	860	695	6.32	1.65	1x300	1300	416.6	25/90	0.65	62	8.8

ΤΥΠΟΣ TYPE	ΔΙΑΣΤΑΣΕΙΣ DIMENSIONS		
	A	B	C
SB 3020	350	520	130
SB 3025	370	620	130
SB 3025R	370	540	170
SB 3033	370	620	170
SB 3033R	370	600	210
SB 3050	440	650	210
SB 3075	440	700	210

SB 3

συντήρηση χωρίς αντιστάσεις
cooler without electric defrost

